

Lapping and Polishing Machine



STOCK KONSTRUKTION GMBH

NLP 400 MS

Machine characteristics

- One spindle processing Machine without lever
- Motorized spindle drive
- Individually variable spindle speed adjustment on potentiometer
- On and off of the motor via pedal and hand switch
- Basin and splash guard
- Large table top with stainless steel cover and from stainless steel
- Spindle lock
- Work light

Options

- Multifunctional foot switch: brake, accelerate, start-stop

Application

- Manual lapping and fine polishing
- Facet
- Dressing up of tools



Technical details

Working diameter in mm (inch):	NLP 400 MS max. 400 (15.75") \varnothing
Basin size in mm (inch):	600 (23.62") \varnothing
Splash guard in mm (inch):	\varnothing 800 (31.50"); 130 height
Distance:	
Spindle lift distance – centre table in mm (inch):	80 (3.15")
Spindle speed in min^{-1} :	20 – 300
Spindle connection thread DIN 58725 in M:	398
Power requirement in kW:	2,0
Dimensions in mm (inch) (w x l x h):	1240 (48.82") x 1100 (43.31") x 1400 (55.12")
Weight in kg (lbs):	335 (739)
Paint finish:	Standard light grey RAL 7035

Tools and accessories can be found in our current catalogue or on request.

Stock Konstruktion GmbH, Am Stollenbach 7-9, 65623 Schiesheim-Zollhaus; Germany

Phone: ++49 (0) 6430-9250448

Fax ++49 (0) 6430-9250453

email: info@stock-konstruktion.de www.stock-konstruktion.de

Rev. 01/2015